

NO. 65713

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE OF NEVADA

NEW PRIORITY DATE:

Date of filing in State Engineer's Office DEC 13 1999 AUG 6 2002

Returned to applicant for correction JAN 04 2000

Corrected application filed

Map filed DEC 13 1999

The applicant **Clay B. King**, hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

1. The source of the proposed appropriation is **Underground Source**
2. The amount of water applied for is **0.06 C.F.S.** second-feet
 - (a) If stored in reservoir give number of acre-feet **N/A**
3. The water to be used for **Commercial purposes**
4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated **N/A**
 - (b) Stockwater, state number and kinds of animals to be watered **N/A**
 - (c) Other use (describe fully under No. 12. "Remarks") **N/A**
 - (d) Power:
 - (1) Horsepower developed **N/A**
 - (2) Point of return of water to stream **N/A**
5. The water is to be diverted from its source at the following point **Within the Southwest Quarter (SW $\frac{1}{4}$) of the Southeast quarter (SE $\frac{1}{4}$) of Section 32, T24S, R57E, MDM from which the center one-quarter (C $\frac{1}{4}$) corner of said Sec. 32, T24S, R57E MDM, bears North 07°30' West a distance of 2398 feet.**
6. Place of Use **Portion of the SW $\frac{1}{4}$ SW $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 32, T24S, R57E, MDM.**
7. Use will begin about **January 1st** and end about **December 31st** of each year.
8. Description of proposed works **Drill 8" steel cased well, install 3HP submersible pump, piping, wiring, totalizing, meter, storage and pressure tanks.**
9. Estimated cost of works **\$10,000**
10. Estimated time required to construct works **One year**
11. Estimated time required to complete the application of water to beneficial use **5 years**

12. Remarks: **Water to be used for small office complex and Mini-Storage Facility, with restrooms and some landscaping. Estimated use to be 1200 gallons per day when complete.**

By **s/Clay B. King**
HC 31, Box 164
Sandy Valley, NV 89019-8976

Compared cmf/bk dl/bk

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use.

(CONTINUED ON PAGE 3)

65713

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.06 cubic feet per second, but not to exceed 0.438 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

May 12, 2001

Proof of completion of work shall be filed before:

June 12, 2001

Water must be placed to beneficial use on or before:

May 12, 2005

Proof of the application of water to beneficial use shall be filed on or before:

June 12, 2005

Map in support of proof of beneficial use shall be filed on or before:


N/A

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 12th day of, May A.D. 2000




State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed N/A

Certificate No. _____ Issued _____


~~CANCELLED JUL 30 2002 BECAUSE OF FAILURE~~
~~OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT~~
~~ STATE ENGINEER~~
~~Can. Rescinded 3-19-03~~

